

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 1 of 16

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Opticool 372(E)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Metal working fluids

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name:	Chesterton International GmbH	
Street:	Am Lenzenfleck 23	
Place:	DE-85737 Ismaning GERMANY	
Telephone:	+49 89 99 65 46 - 0	Telefax: +49 89 99 65 46 - 50
e-mail:	eu-sds@chesterton.com	
e-mail (Contact person):	eu-sds@chesterton.com	
Internet:	www.chesterton.com	
Responsible Department:	eu-sds@chesterton.com	

1.4. Emergency telephone number:

+49(0) 551 - 1 92 40 (GIZ-Nord, 24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

2.2. Label elements

Regulation (EC) No. 1272/2008

Special labelling of certain mixtures

EUH208 Contains 3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 2 of 16

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
64742-53-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic			15-20 %
	265-156-6	649-466-00-2	01-2119480375-34	
	Asp. Tox. 1; H304			
10043-35-3	Boric acid			< 5,5 %
	233-139-2	005-007-00-2	01-2119486683-25	
	Repr. 1B; H360FD			
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether			1-5 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			
85536-23-8	Amidpolyglycoether			1-5 %
			01-2119565130-50	
	Skin Irrit. 2, Aquatic Chronic 3; H315 H412			
3913-02-8	2-butyloctan-1-ol			1-2,5 %
	223-470-0		01-2119978234-31	
	Aquatic Acute 1, Aquatic Chronic 2; H400 H411			
55406-53-6	3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate			< 0,25 %
	259-627-5	616-212-00-7		
	Acute Tox. 3, Acute Tox. 4, Eye Dam. 1, Skin Sens. 1, STOT RE 1, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1 (M-Factor = 1); H331 H302 H318 H317 H372 H400 H410			

Full text of H and EUH statements: see section 16.

Further Information

No information available.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove victim out of the danger area. When in doubt or if symptoms are observed, get medical advice.

After inhalation

Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. In case of respiratory tract irritation, consult a physician.

After contact with skin

Remove contaminated, saturated clothing immediately. After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 3 of 16

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

After ingestion

Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps. Where appropriate artificial ventilation. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Dry extinguishing powder. Carbon dioxide (CO₂). alcohol resistant foam. Water spray jet

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Nitrogen oxides (NO_x), Carbon dioxide (CO₂), Carbon monoxide, Phosphorus oxides

5.3. Advice for firefighters

Special protective equipment for firefighters: Chemical protection clothing

In case of fire: Wear self-contained breathing apparatus.

Additional information

In case of fire and/or explosion do not breathe fumes. Remove persons to safety. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Provide adequate ventilation.

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Ventilate affected area.

6.2. Environmental precautions

Cover drains. Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment:

Cover drains. Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 4 of 16

under control. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up:

Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Ventilate affected area. Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

See protective measures under point 7 and 8.

SECTION 12: Ecological information

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Wear personal protection equipment (refer to section 8). Use only in well-ventilated areas. Handle and open container with care. Always close containers tightly after the removal of product. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Further information on handling

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the substance/product. Protect containers against damage.

Advice on storage compatibility

Do not store together with:

Food and feedingstuffs

Keep away from:

Oxidising agent

Further information on storage conditions

Recommended storage temperature: 40°C

Protect against: Heat, UV-radiation/sunlight, Frost

storage stability: ~ 12 Mon

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 5 of 16

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 6 of 16

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
64742-53-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic			
Worker DNEL, long-term		inhalation	systemic	2,7 mg/m ³
Worker DNEL, long-term		inhalation	local	5,6 mg/m ³
Worker DNEL, long-term		dermal	systemic	1 mg/kg bw/day
Consumer DNEL, long-term		inhalation	local	1,2 mg/m ³
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day
10043-35-3	Boric acid			
Worker DNEL, long-term		inhalation	systemic	8,3 mg/m ³
Worker DNEL, long-term		dermal	systemic	392 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	4,15 mg/m ³
Consumer DNEL, long-term		dermal	systemic	196 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	0,98 mg/kg bw/day
Consumer DNEL, acute		oral	systemic	0,98 mg/kg bw/day
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether			
Worker DNEL, long-term		inhalation	systemic	67,5 mg/m ³
Worker DNEL, long-term		inhalation	local	67,5 mg/m ³
Worker DNEL, acute		inhalation	local	101,2 mg/m ³
Worker DNEL, long-term		dermal	systemic	83 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	40,5 mg/m ³
Consumer DNEL, long-term		inhalation	local	40,5 mg/m ³
Consumer DNEL, acute		inhalation	local	60,7 mg/m ³
Consumer DNEL, long-term		dermal	systemic	50 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	5 mg/kg bw/day
3913-02-8	2-butyloctan-1-ol			
Worker DNEL, long-term		inhalation	systemic	123,3 mg/m ³
Worker DNEL, long-term		dermal	systemic	35 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	31,1 mg/m ³
Consumer DNEL, long-term		dermal	systemic	21 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	21 mg/kg bw/day

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 7 of 16

PNEC values

CAS No	Substance	Value
Environmental compartment		
64742-53-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic	
Secondary poisoning		9,33 mg/kg
10043-35-3	Boric acid	
Freshwater		2,9 mg/l
Freshwater (intermittent releases)		13,7 mg/l
Marine water		2,9 mg/l
Micro-organisms in sewage treatment plants (STP)		10 mg/l
Soil		5,7 mg/kg
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	
Freshwater		1,1 mg/l
Freshwater (intermittent releases)		11 mg/l
Marine water		0,11 mg/l
Freshwater sediment		4,4 mg/kg
Marine sediment		0,44 mg/kg
Secondary poisoning		56 mg/kg
Micro-organisms in sewage treatment plants (STP)		200 mg/l
Soil		0,32 mg/kg
3913-02-8	2-butyloctan-1-ol	
Freshwater		0 mg/l
Freshwater (intermittent releases)		0,014 mg/l
Marine water		0 mg/l
Micro-organisms in sewage treatment plants (STP)		10 mg/l

8.2. Exposure controls

Appropriate engineering controls

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Protective and hygiene measures

When using do not eat, drink, smoke, sniff.

Wash hands before breaks and after work. Do not put any product-impregnated cleaning rags into your trouser pockets. Wash contaminated clothing prior to re-use. Apply skin care products after work.

Eye/face protection

Suitable eye protection:

Eye glasses with side protection

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 8 of 16

goggles

Hand protection

Tested protective gloves must be worn: DIN EN 374

NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber)

Thickness of the glove material $\geq 0,7$ mm

Breakthrough times and swelling properties of the material must be taken into consideration.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): max. 480 min. (NBR (Nitrile rubber))

Wearing time with permanent contact 240 - 480 min (NBR (Nitrile rubber))

Observe the wear time limits as specified by the manufacturer.

Skin protection

Body protection: not required.

Respiratory protection

No special measures are necessary. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Respiratory protection necessary at: insufficient ventilation, aerosol or mist formation

Combination filtering device (EN 14387)

Environmental exposure controls

No special measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	brown
Odour:	characteristic

pH-Value (at 20 °C):

Test method
9,2 DIN 51369

Changes in the physical state

Melting point:	not determined
Initial boiling point and boiling range:	>160 °C
Sublimation point:	not determined
Softening point:	not determined
Pour point:	not determined
Flash point:	>140 °C DIN ISO 2592

Flammability

Solid:	not determined
Gas:	not determined

Explosive properties

not explosive according to EU A.14

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 9 of 16

Lower explosion limits:	0,6 vol. %
Upper explosion limits:	6,5 vol. %
Ignition temperature:	>240 °C
Auto-ignition temperature	
Solid:	not determined
Gas:	not determined
Decomposition temperature:	not determined
Oxidizing properties	
No information available.	
Vapour pressure:	not determined
Density (at 20 °C):	0,987 g/cm ³
Water solubility:	miscible
Solubility in other solvents	
No information available.	
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic: (at 20 °C)	~125 mm ² /s DIN EN ISO 3104

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong

10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 10 of 16

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-53-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1982)	OECD Guideline 402
10043-35-3	Boric acid				
	oral	LD50 3450 mg/kg	Rat	Toxicology and Applied Pharmacology 23:	other: No data
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1982)	other: FIFRA
	inhalative (4 h) aerosol	LC50 > 2,12 mg/l	Rat	Study report (1997)	OECD Guideline 403
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether				
	oral	LD50 2410 mg/kg	Mouse	Study report (1981)	OECD Guideline 401
	dermal	LD50 2764 mg/kg	Rabbit	Study report (1981)	OECD Guideline 402
3913-02-8	2-butyloctan-1-ol				
	oral	LD50 26533 mg/kg	Rat	Study report (1986)	OECD Guideline 401
55406-53-6	3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate				
	oral	ATE 500 mg/kg			
	inhalative vapour	ATE 3 mg/l			
	inhalative aerosol	ATE 0,5 mg/l			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 11 of 16

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 12 of 16

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
64742-53-6	Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic					
	Fish toxicity	NOEC >= 1000 mg/l	14 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	The aquatic toxicity was estimated by a
10043-35-3	Boric acid					
	Acute fish toxicity	LC50 79,7 mg/l	96 h	Pimephales promelas	Study report (2010)	other: ASTM E729-95 Standard Guide for C
	Acute algae toxicity	ErC50 66 mg/l	72 h	Phaeodactylum tricornutum	Study report (2011)	ISO 10253
	Acute crustacea toxicity	EC50 109 mg/l	48 h	Ceriodaphnia dubia	Study report (2010)	other: ASTM E729-95 Standard Guide for C
	Fish toxicity	NOEC 11,2 mg/l	32 d	Pimephales promelas	Study report (2010)	other: ASTM E1241-05 Standard Guide for
	Algae toxicity	NOEC 17,5 mg/l	3 d	Pseudokirchneriella subcapitata	Study report (2000)	OECD Guideline 201
	Crustacea toxicity	NOEC 33,1 mg/l	28 d	Americamysis bahia	Study report (2011)	EPA OPPTS 850.1350
	Acute bacteria toxicity	(> 10000 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (2001)	OECD Guideline 209
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether					
	Acute fish toxicity	LC50 1300 mg/l	96 h	Lepomis macrochirus	J Haz Mat, 1, p303-18 (1977)	OECD Guideline 203
	Acute algae toxicity	ErC50 > 100 mg/l	96 h	Desmodesmus subspicatus	Study report (1992)	OECD Guideline 201
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna	Study report (1992)	EU Method C.2
3913-02-8	2-butyloctan-1-ol					
	Acute fish toxicity	LC50 0,55 mg/l	96 h	Oncorhynchus mykiss	Study report (2012)	OECD Guideline 203
	Acute algae toxicity	ErC50 2,1 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2012)	OECD Guideline 201
	Acute crustacea toxicity	EC50 0,14 mg/l	48 h	Daphnia magna	Study report (2002)	OECD Guideline 202
	Crustacea toxicity	NOEC 0,014 mg/l	21 d	Daphnia magna	Study report (2005)	OECD Guideline 211

12.2. Persistence and degradability

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 13 of 16

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
10043-35-3	Boric acid	-1,09
112-34-5	2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	1
3913-02-8	2-butyloctan-1-ol	5,5

BCF

CAS No	Chemical name	BCF	Species	Source
10043-35-3	Boric acid	0,558	Oncorhynchus nerka	Water Research Vol.
3913-02-8	2-butyloctan-1-ol	83,5		Calculation (2010)

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

No information available.

Further information

Do not allow uncontrolled discharge of product into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of.

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:

No dangerous good in sense of this transport regulation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 14 of 16

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name: No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es): No dangerous good in sense of this transport regulation.

14.4. Packing group: No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):

Boric acid

Restrictions on use (REACH, annex XVII):

Entry 28: Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic

Entry 30: Boric acid

Entry 55: 2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether

National regulatory information

Water contaminating class (D): 2 - clearly water contaminating

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Baseoil - unspecified, Distillates (petroleum), hydrotreated light naphthenic

Boric acid

2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 15 of 16

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer
(Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
CAS: Chemical Abstracts Service (division of the American Chemical Society)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
EC50: Effect concentration, 50 percent
DNEL: Derived No Effect Level
PNEC: Predicted No Effect Concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

Relevant H and EUH statements (number and full text)

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains 3-iodo-2-propynyl butylcarbamate; 3-iodoprop-2-yn-1-yl butylcarbamate. May produce an allergic reaction.

Further Information

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself.
No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose.
The user must make their own determination as to suitability.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Opticool 372(E)

Revision date: 16.10.2017

Page 16 of 16

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)