

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

**723(E) Sprasolvo<sup>®</sup>**

Revision date: 09.01.2023

Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

723(E) Sprasolvo<sup>®</sup>

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Penetrating oil – frees nuts, bolts, fittings without injury to base metal.

##### Uses advised against

No data available

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Chesterton International GmbH	
Street:	Am Lenzenfleck 23	
Place:	D-85737 Ismaning GERMANY	
Telephone:	+49 89 99 65 46 - 0	Telefax: +49 89 99 65 46 - 50
e-mail:	eu-sds@chesterton.com	
e-mail (Contact person):	eu-sds@chesterton.com	
Internet:	www.chesterton.com	
Responsible Department:	eu-sds@chesterton.com	

#### 1.4. Emergency telephone number:

+49(0) 551 - 1 92 40 (GIZ-Nord, 24h)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Aerosol 2; H223-H229  
Asp. Tox. 1; H304  
STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

##### Hazard components for labelling

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromatics

Signal word: Warning

Pictograms:



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 723(E) Sprasolvo®

Revision date: 09.01.2023

Page 2 of 12

#### Hazard statements

H223	Flammable aerosol.
H229	Pressurised container: May burst if heated.
H336	May cause drowsiness or dizziness.

#### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P312	Call a POISON CENTER/doctor if you feel unwell.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P410+P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
P501	Dispose of contents/container to an appropriate recycling or disposal facility.

#### Special labelling of certain mixtures

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
64742-48-9	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromatics	40 - < 45 %
	919-857-5	01-2119463258-33
	Flam. Liq. 3, STOT SE 3, Asp. Tox. 1; H226 H336 H304 EUH066	
124-38-9	Carbon dioxide	1 - < 5 %
	204-696-9	
	Compressed gas; H280	

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64742-48-9	919-857-5	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromatics	40 - < 45 %
		inhalation: LC50 = > 4,96 mg/l (vapours); dermal: LD50 = > 2000 mg/kg; oral: LD50 = > 5000 mg/kg	

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 723(E) Sprasolvo®

Revision date: 09.01.2023

Page 3 of 12

#### Further Information

No information available.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Change contaminated, saturated clothing.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

##### After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Call a doctor.

##### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Remove contaminated, saturated clothing immediately. In case of skin irritation, consult a physician.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

##### After ingestion

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Let 1 glass of water be drunken in little sips (dilution effect).

Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes eye irritation. Causes skin irritation. Repeated exposure may cause skin dryness or cracking.

Most important symptoms and effects, both acute and delayed: Headache, Dizziness, Pulmonary oedema  
Vapours may cause drowsiness and dizziness.

#### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

- alcohol resistant foam
- Water spray jet
- Carbon dioxide (CO<sub>2</sub>)
- Dry extinguishing powder

##### Unsuitable extinguishing media

Full water jet

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 723(E) Sprasolvo®

Revision date: 09.01.2023

Page 4 of 12

#### **5.2. Special hazards arising from the substance or mixture**

Heating causes rise in pressure with risk of bursting.  
Vapours can form explosive mixtures with air.

#### **5.3. Advice for firefighters**

Co-ordinate fire-fighting measures to the fire surroundings.  
In case of fire: Wear self-contained breathing apparatus.

Special protective equipment for firefighters: Protective clothing.

#### **Additional information**

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Provide adequate ventilation.  
Safe handling: see section 7  
Personal protection equipment: see section 8

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Cover drains.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Personal protection equipment: see section 8

##### **Advice on protection against fire and explosion**

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.  
Vapours are heavier than air, spread along floors and form explosive mixtures with air.

##### **Advice on general occupational hygiene**

Avoid contact with skin, eyes and clothes. Use protective skin cream before handling the product. Remove contaminated, saturated clothing immediately. When using do not eat, drink, smoke, sniff. Wash hands and face before breaks and after work and take a shower if necessary.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 723(E) Sprasolvo®

Revision date: 09.01.2023

Page 5 of 12

#### Further information on handling

Do not pierce or burn, even after use.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep cool. Protect from sunlight.

Pressurised container: May burst if heated.

##### Hints on joint storage

Keep away from food, drink and animal feedingstuffs.

##### Further information on storage conditions

Keep away from:

- Frost
- Heat
- Humidity

#### 7.3. Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### Occupational exposure limits

CAS No	Substance	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
124-38-9	Carbon dioxide	5000	9000		TWA (8 h)	
		15000	27000		STEL (15 min)	

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 723(E) Sprasolvo®

Revision date: 09.01.2023

Page 6 of 12

#### DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
64742-48-9	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromatics			
Worker DNEL, long-term		inhalation	systemic	871 mg/m <sup>3</sup>
Worker DNEL, long-term		dermal	systemic	77 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	185 mg/m <sup>3</sup>
Consumer DNEL, long-term		dermal	systemic	46 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	46 mg/kg bw/day
Worker DNEL, acute		inhalation	systemic	1286,4 mg/m <sup>3</sup>
Worker DNEL, long-term		inhalation	local	837,5 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	1066,67 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	systemic	1152 mg/m <sup>3</sup>
Consumer DNEL, long-term		inhalation	local	178,57 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	640 mg/m <sup>3</sup>

#### 8.2. Exposure controls

##### Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection:

- Eye glasses with side protection
- goggles

##### Hand protection

Tested protective gloves must be worn: EN ISO 374

NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber)

Thickness of the glove material  $\geq 0,4$  mm

Breakthrough times and swelling properties of the material must be taken into consideration.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Wearing time with occasional contact (splashes): max. 480 min. (NBR (Nitrile rubber))

Wearing time with permanent contact 240 - 480 min (NBR (Nitrile rubber))

Observe the wear time limits as specified by the manufacturer.

##### Skin protection

Wear suitable protective clothing.

##### Respiratory protection

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 723(E) Sprasolvo<sup>®</sup>

Revision date: 09.01.2023

Page 7 of 12

Filtering device (full mask or mouthpiece) with filter: A-P2

#### Thermal hazards

No data available

#### Environmental exposure controls

No special measures are necessary.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	blue
Odour:	like: Petroleum

#### Test method

Melting point/freezing point:	No data available
Boiling point or initial boiling point and boiling range:	No data available
Flammability	
Solid/liquid:	No data available
Gas:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Flash point:	49 °C
Decomposition temperature:	No data available
pH-Value:	not applicable
Viscosity / kinematic:	No data available
Water solubility:	Immiscible
Solubility in other solvents	
No information available.	
Partition coefficient n-octanol/water:	No data available
Vapour pressure:	No data available
(at 20 °C)	
Density (at 20 °C):	0,83 g/cm <sup>3</sup>
Relative vapour density:	>1 (Air=1)

#### 9.2. Other information

##### Information with regard to physical hazard classes

##### Explosive properties

Vapours can form explosive mixtures with air.

##### Self-ignition temperature

Solid:

No data available

Gas:

No data available

##### Oxidizing properties

No information available.

##### Other safety characteristics

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 723(E) Sprasolvo®

Revision date: 09.01.2023

Page 8 of 12

Evaporation rate: <1 (Ether =1)  
 Sublimation point: No data available  
 Softening point: No data available  
 Pour point: No data available

#### Further Information

No information available.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

#### 10.2. Chemical stability

The substance is chemically stable under recommended conditions of storage, use and temperature.

#### 10.3. Possibility of hazardous reactions

This material is considered to be non-reactive under normal use conditions.

#### 10.4. Conditions to avoid

This material is combustible and can be ignited by heat, sparks, flames, or other sources of ignition (e.g. static electricity, pilot lights, or mechanical/electrical equipment).

#### 10.5. Incompatible materials

- Strong acid,
- Strong alkali,
- Oxidising agent

#### 10.6. Hazardous decomposition products

- Nitrogen oxides (NO<sub>x</sub>),
- Carbon dioxide (CO<sub>2</sub>),
- Carbon monoxide

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-48-9	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromatics				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1988)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1989)	OECD Guideline 402
	inhalation (4 h) vapour	LC50 > 4,96 mg/l	Rat	Study report (1992)	OECD Guideline 403



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 723(E) Sprasolvo®

Revision date: 09.01.2023

Page 9 of 12

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromatics)

#### STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

No data available

### SECTION 12: Ecological information

#### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-48-9	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromatics					
	Acute fish toxicity	LL50 mg/l	> 100	96 h	Danio rerio	REACH Registration Dossier
	Acute algae toxicity	ErC50 mg/l	> 100	72 h	Raphidocelis subcapitata	REACH Registration Dossier
	Acute crustacea toxicity	EL50 mg/l	> 100	48 h	Daphnia magna	REACH Registration Dossier
	Fish toxicity	NOEC mg/l	0,131	28 d	Oncorhynchus mykiss	Company report (2010)
	Crustacea toxicity	NOEC mg/l	> 10,2	21 d	Daphnia magna	REACH Registration Dossier
						OECD Guideline 203
						OECD Guideline 201
						OECD Guideline 202
						The aquatic toxicity was estimated by a
						OECD Guideline 211

#### 12.3. Bioaccumulative potential

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 723(E) Sprasolvo®

Revision date: 09.01.2023

Page 10 of 12

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64742-48-9	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromatics	>= 3,17

#### BCF

CAS No	Chemical name	BCF	Species	Source
64742-48-9	Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromatics	>= 30,85	calculated	REACH Registration D

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Dispose of waste according to applicable legislation.

##### Contaminated packaging

Non-contaminated packages may be recycled. Packing which cannot be properly cleaned must be disposed of. Dispose of waste according to applicable legislation.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	UN 1950
<b>14.2. UN proper shipping name:</b>	AEROSOLS
<b>14.3. Transport hazard class(es):</b>	2
<b>14.4. Packing group:</b>	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0
Transport category:	2
Tunnel restriction code:	D

#### Inland waterways transport (ADN)

<b>14.1. UN number or ID number:</b>	UN 1950
--------------------------------------	---------

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 723(E) Sprasolvo®

Revision date: 09.01.2023

Page 11 of 12

<b>14.2. UN proper shipping name:</b>	AEROSOLS
<b>14.3. Transport hazard class(es):</b>	2
<b>14.4. Packing group:</b>	-
Hazard label:	2.1
Classification code:	5F
Special Provisions:	190 327 344 625
Limited quantity:	1 L
Excepted quantity:	E0

#### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	UN 1950
<b>14.2. UN proper shipping name:</b>	AEROSOLS
<b>14.3. Transport hazard class(es):</b>	2.1
<b>14.4. Packing group:</b>	-
Hazard label:	2.1
Special Provisions:	63, 190, 277, 327, 344, 381, 959
Limited quantity:	1000 mL
Excepted quantity:	E0
EmS:	F-D, S-U

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No information available.

#### 14.7. Maritime transport in bulk according to IMO instruments

No information available.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 28, Entry 40, Entry 75

Information according to 2012/18/EU (SEVESO III): P3b FLAMMABLE AEROSOLS

##### National regulatory information

Water hazard class (D): 2 - obviously hazardous to water

#### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclenes, < 2% aromatics

Carbon dioxide

### SECTION 16: Other information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### 723(E) Sprasolvo®

Revision date: 09.01.2023

Page 12 of 12

#### Changes

This data sheet contains changes from the previous version in section(s): 1,4,5,6,7,8,10,11,12,13,14,15.

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer  
 (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)  
 ICAO: International Civil Aviation Organization  
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 EC50: Effectice concentration, 50 percent  
 DNEL: Derived No Effect Level  
 PNEC: Predicted No Effect Concentration  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 2; H223-H229	On basis of test data
Asp. Tox. 1; H304	Calculation method
STOT SE 3; H336	Calculation method

#### Relevant H and EUH statements (number and full text)

H223	Flammable aerosol.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
EUH066	Repeated exposure may cause skin dryness or cracking.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*