

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 1 of 18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

801(E) Industrial & Marine Solvent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Water based cleaner. Non flammable.

Uses advised against

No information available.

1.3. Details of the supplier of the safety data sheet

Company name:	Chesterton International GmbH	
Street:	Am Lenzenfleck 23	
Place:	DE-85737 Ismaning GERMANY	
Telephone:	+49 89 99 65 46 - 0	Telefax: +49 89 99 65 46 - 50
e-mail:	eu-sds@chesterton.com	
e-mail (Contact person):	eu-sds@chesterton.com	
Internet:	www.chesterton.com	
Responsible Department:	eu-sds@chesterton.com	

1.4. Emergency telephone number:

+49(0) 551 - 1 92 40 (GIZ-Nord, 24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

Causes skin irritation.

Causes serious eye damage.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

D-Glucopyranose, oligomers, decyl octyl glycosides

D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

Sodium hydroxide; caustic soda

Signal word: Danger

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 2 of 18

Pictograms:



Hazard statements

H315 Causes skin irritation.
H318 Causes serious eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352 IF ON SKIN: Wash with plenty of water.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 3 of 18

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
7320-34-5	Tetrapotassium pyrophosphate			5-10 %
	230-785-7		01-2119489369-18	
	Eye Irrit. 2; H319			
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides			1-5 %
	500-220-1		01-2119488530-36	
	Eye Dam. 1; H318			
34590-94-8	(2-methoxymethylethoxy)propanol			1-5 %
	252-104-2		01-2119450011-60	
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether			1-5 %
	225-878-4	603-052-00-8	01-2119475527-28	
	Skin Irrit. 2, Eye Irrit. 2; H315 H319			
110615-47-9	D-Glucopyranose, oligomeric, C10-16-alkyl glycosides			1-5 %
	600-975-8		01-2119489418-23	
	Skin Irrit. 2, Eye Dam. 1; H315 H318			
1310-73-2	Sodium hydroxide; caustic soda			0,5-2 %
	215-185-5	011-002-00-6	01-2119457892-27	
	Met. Corr. 1, Skin Corr. 1A; H290 H314			

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % phosphates, 5 % - < 15 % non-ionic surfactants.

Further Information

No information available.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Immediately remove any contaminated clothing, shoes or stockings. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Remove casualty to fresh air and keep warm and at rest. If breathing is irregular or stopped, administer artificial respiration. Call a doctor.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 4 of 18

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Wash contaminated clothing before reuse. Call a doctor.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Do NOT induce vomiting.
Immediately call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry extinguishing powder. Carbon dioxide (CO₂). alcohol resistant foam. Water spray jet

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

No information available.

5.3. Advice for firefighters

Special protective equipment for firefighters Protective clothing.
In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.
Provide adequate ventilation.
Personal protection equipment: see section 8

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Cover drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

See protective measures under point 7 and 8.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 5 of 18

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

See section 8. Wear personal protection equipment (refer to section 8).
Take off immediately all contaminated clothing and wash it before reuse.

Advice on protection against fire and explosion

No special measures are necessary.

Further information on handling

Keep container tightly closed and dry.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Store in a cool dry place. Keep container tightly closed.
Keep/Store only in original container.
Protect against direct sunlight.
Protect against: Frost

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
34590-94-8	(2-methoxymethylethoxy) propanol	50	308		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL
1310-73-2	Sodium hydroxide	-	-		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 6 of 18

DNEL/DMEL values

CAS No	Substance	Exposure route	Effect	Value
7320-34-5	Tetrapotassium pyrophosphate			
Worker DNEL, long-term		inhalation	systemic	44,08 mg/m ³
Consumer DNEL, long-term		inhalation	systemic	10,87 mg/m ³
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides			
Worker DNEL, long-term		inhalation	systemic	420 mg/m ³
Worker DNEL, long-term		dermal	systemic	595000 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	124 mg/m ³
Consumer DNEL, long-term		dermal	systemic	357000 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	35,7 mg/kg bw/day
34590-94-8	(2-methoxymethylethoxy)propanol			
Worker DNEL, long-term		inhalation	systemic	308 mg/m ³
Worker DNEL, long-term		dermal	systemic	283 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	37,2 mg/m ³
Consumer DNEL, long-term		dermal	systemic	121 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	36 mg/kg bw/day
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether			
Worker DNEL, long-term		inhalation	systemic	147 mg/m ³
Worker DNEL, long-term		dermal	systemic	52 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	43 mg/m ³
Consumer DNEL, long-term		dermal	systemic	22 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	12,5 mg/kg bw/day
110615-47-9	D-Glucopyranose, oligomeric, C10-16-alkyl glycosides			
Worker DNEL, long-term		inhalation	systemic	420 mg/m ³
Worker DNEL, long-term		dermal	systemic	595000 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	124 mg/m ³
Consumer DNEL, long-term		dermal	systemic	357000 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	35,7 mg/kg bw/day
1310-73-2	Sodium hydroxide; caustic soda			

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 7 of 18

Worker DNEL, long-term	inhalation	local	1 mg/m ³
Consumer DNEL, long-term	inhalation	local	1 mg/m ³

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 8 of 18

PNEC values

CAS No	Substance	
Environmental compartment		Value
7320-34-5	Tetrapotassium pyrophosphate	
Freshwater		0,05 mg/l
Freshwater (intermittent releases)		0,5 mg/l
Marine water		0,005 mg/l
Micro-organisms in sewage treatment plants (STP)		50 mg/l
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	
Freshwater		0,176 mg/l
Marine water		0,018 mg/l
Freshwater sediment		1,516 mg/kg
Marine sediment		0,152 mg/kg
Secondary poisoning		111,11 mg/kg
Soil		0,654 mg/kg
34590-94-8	(2-methoxymethylethoxy)propanol	
Freshwater		19 mg/l
Freshwater (intermittent releases)		190 mg/l
Marine water		1,9 mg/l
Freshwater sediment		70,2 mg/kg
Marine sediment		7,02 mg/kg
Micro-organisms in sewage treatment plants (STP)		4168 mg/l
Soil		2,74 mg/kg
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether	
Freshwater		0,525 mg/l
Marine water		0,052 mg/l
Freshwater sediment		2,36 mg/kg
Marine sediment		0,236 mg/kg
Soil		0,16 mg/kg
110615-47-9	D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	
Freshwater		0,176 mg/l
Freshwater (intermittent releases)		0,029 mg/l
Marine water		0,018 mg/l
Freshwater sediment		1,516 mg/kg
Marine sediment		0,065 mg/kg
Secondary poisoning		111,11 mg/kg

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 9 of 18

Micro-organisms in sewage treatment plants (STP)	5000 mg/l
Soil	0,654 mg/kg

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Protective and hygiene measures

Only wear fitting, comfortable and clean protective clothing. Avoid contact with skin, eyes and clothes. Wash hands and face before breaks and after work and take a shower if necessary.

When using do not eat, drink or smoke.

Eye/face protection

Suitable eye protection:

Eye glasses with side protection

goggles

Hand protection

Tested protective gloves must be worn: DIN EN 374

NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber)

Thickness of the glove material $\geq 0,4$ mm

Breakthrough times and swelling properties of the material must be taken into consideration.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Observe the wear time limits as specified by the manufacturer.

Skin protection

Protective clothing, Rubber boots, Apron

Respiratory protection

Usually no personal respirative protection necessary.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

Filtering device (full mask or mouthpiece) with filter: A-P2

Environmental exposure controls

No special measures are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	red
Odour:	mild

pH-Value:	13	Test method
-----------	----	--------------------

Changes in the physical state

Melting point:	0 °C
----------------	------

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 10 of 18

Initial boiling point and boiling range: 100 °C
Sublimation point: not determined
Softening point: not determined
Pour point: not determined
Flash point: not applicable

Flammability

Solid: not determined
Gas: not determined

Explosive properties

not explosive according to EU A.14

Lower explosion limits: not determined

Upper explosion limits: not determined

Ignition temperature: not determined

Auto-ignition temperature

Solid: not determined
Gas: not determined

Decomposition temperature: not determined

Oxidizing properties

No information available.

Vapour pressure: not determined
(at 20 °C)

Density (at 20 °C): 1,078 g/cm³

Water solubility: completely miscible

Solubility in other solvents

No information available.

Partition coefficient: >1

Viscosity / dynamic: 2 mPa·s
(at 25 °C)

Vapour density: >1 (air = 1)

Evaporation rate: <1 (Ether = 1)

9.2. Other information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is stable under storage at normal ambient temperatures.

10.2. Chemical stability

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 11 of 18

The substance is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

This material is considered to be non-reactive under normal use conditions.

10.4. Conditions to avoid

No information available.

10.5. Incompatible materials

Oxidising agent, strong; Aluminium; Zinc

10.6. Hazardous decomposition products

Nitrogen oxides (NO_x), Carbon dioxide (CO₂), Carbon monoxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 12 of 18

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
7320-34-5	Tetrapotassium pyrophosphate				
	oral	LD50 > 300 - < 2000 mg/kg	Rat	Study report (2010)	OECD Guideline 420
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1988)	other: FMC Non-Definitive Dermal Toxicit
	inhalation (4 h) aerosol	LC50 > 1,1 mg/l	Rat	Study report (1993)	other: FMC Acute Inhalation Toxicity Pro
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides				
	oral	LD50 > 2000 mg/kg	Rat	Study report (2004)	OECD Guideline 423
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1987)	OECD Guideline 402
34590-94-8	(2-methoxymethylethoxy)propanol				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1979)	OECD Guideline 401
	dermal	LD50 9510 mg/kg	Rabbit	Published in Am Ind Hyg Assoc J. 23: 95-	OECD Guideline 402
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether				
	oral	LD50 3300 mg/kg	Rat	Study report (1987)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rat	Study report (1987)	OECD Guideline 402
110615-47-9	D-Glucopyranose, oligomeric, C10-16-alkyl glycosides				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1990)	OECD Guideline 401
	dermal	LD50 > 2000 mg/kg	Rabbit	Study report (1989)	OECD Guideline 402

Irritation and corrosivity

- Causes skin irritation.
- Causes serious eye damage.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 13 of 18

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1. Toxicity

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 14 of 18

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
7320-34-5	Tetrapotassium pyrophosphate					
	Acute fish toxicity	LC50 > 100 mg/l	96 h	Oncorhynchus mykiss	Study report (2010)	OECD Guideline 203
	Acute algae toxicity	ErC50 > 100 mg/l	72 h	Desmodesmus subspicatus	Study report (2010)	EU Method C.3
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna	Study report (1991)	EPA OTS 797.1300
	Acute bacteria toxicity	(> 1000 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (2010)	OECD Guideline 209
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides					
	Acute fish toxicity	LC50 100,81 mg/l	96 h	Danio rerio	Study report (1993)	ISO 7346/1-3
	Acute algae toxicity	ErC50 27,22 mg/l	72 h	Desmodesmus subspicatus	Study report (1994)	other: DIN 38412, part 9
	Acute crustacea toxicity	EC50 > 100 mg/l	48 h	Daphnia magna	Study report (1992)	OECD Guideline 202
	Fish toxicity	NOEC 1,8 mg/l	28 d	Danio rerio	Study report (1995)	OECD Guideline 204
	Crustacea toxicity	NOEC 2 mg/l	21 d	Daphnia magna	Study report (1995)	other: OECD Guideline 202 Part II
34590-94-8	(2-methoxymethylethoxy)propanol					
	Acute fish toxicity	LC50 > 1000 mg/l	96 h	Poecilia reticulata	Study report (1990)	OECD Guideline 203
	Acute algae toxicity	ErC50 > 969 mg/l	72 h	Pseudokirchneriella subcapitata	Study report (2001)	OECD Guideline 201
	Acute crustacea toxicity	EC50 1919 mg/l	48 h	Daphnia magna	Study report (1979)	OECD Guideline 202
	Crustacea toxicity	NOEC >= 0,5 mg/l	22 d	Daphnia magna	Study report (1995)	OECD Guideline 211
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether					
	Acute fish toxicity	LC50 > 560 - < 1000 mg/l	96 h	Poecilia reticulata	Study report (1987)	OECD Guideline 203
	Acute algae toxicity	ErC50 > 1000 mg/l	96 h	Pseudokirchneriella subcapitata	Study report (1987)	Method: other: No specific guidance cite
	Acute crustacea toxicity	EC50 > 1000 mg/l	48 h	Daphnia magna	Study report (1987)	OECD Guideline 202
	Acute bacteria toxicity	(> 1000 mg/l)	3 h	activated sludge of a predominantly domestic sewage	Study report (2009)	OECD Guideline 209

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 15 of 18

110615-47-9 D-Glucopyranose, oligomeric, C10-16-alkyl glycosides							
	Acute fish toxicity	LC50 mg/l	2,95	96 h	Danio rerio	Study report (1995)	other: Annex of 92/69/EWG
	Acute algae toxicity	ErC50 mg/l	12,5	72 h	Desmodesmus subspicatus	Study report (1995)	other: Annex of 92/69/EWG
	Acute crustacea toxicity	EC50	7 mg/l	48 h	Daphnia magna	Study report (1995)	other: Annex of 92/69/EWG
	Fish toxicity	NOEC	1,8 mg/l	28 d	Danio rerio	Study report (1995)	OECD Guideline 204
	Crustacea toxicity	NOEC	2 mg/l	21 d	Daphnia magna	Study report (1995)	other: OECD Guideline 202 Part II
1310-73-2 Sodium hydroxide; caustic soda							
	Acute fish toxicity	LC50 mg/l	45,4	96 h	Onchorhynchus mykiss		
	Acute crustacea toxicity	EC50 mg/l	40,4	48 h	Ceriodaphnia sp.	Ecotoxicology and Environmental Safety,4	other: acute 48-h immobilization test ac

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68515-73-1	D-Glucopyranose, oligomers, decyl octyl glycosides	1,72
34590-94-8	(2-methoxymethylethoxy)propanol	0,004
5131-66-8	3-butoxypropan-2-ol, propylene glycol monobutyl ether	1,2
110615-47-9	D-Glucopyranose, oligomeric, C10-16-alkyl glycosides	0

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Contaminated packaging

Dispose of waste according to applicable legislation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 16 of 18

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: 3-butoxypropan-2-ol, propylene glycol monobutyl ether

National regulatory information

Water contaminating class (D): 1 - slightly water contaminating

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 17 of 18

15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

Tetrapotassium pyrophosphate
D-Glucopyranose, oligomers, decyl octyl glycosides
(2-methoxymethylethoxy)propanol
3-butoxypropan-2-ol, propylene glycol monobutyl ether
D-Glucopyranose, oligomeric, C10-16-alkyl glycosides

SECTION 16: Other information

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer
(Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
CAS: Chemical Abstracts Service (division of the American Chemical Society)
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
EC50: Effectice concentration, 50 percent
DNEL: Derived No Effect Level
PNEC: Predicted No Effect Concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.

Further Information

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself.
No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose.
The user must make their own determination as to suitability.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

801(E) Industrial & Marine Solvent

Revision date: 28.05.2018

Page 18 of 18

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)