

**SAFETY DATA SHEET**

in accordance with 2015/830/EU (REACH, Annex II) 29 CFR 1910.1200, WHMIS 2015 and Safe Work Australia

**Revision date:** 17 June 2020

**Initial date of issue:** 12 July 2007

**SDS No.** 390B-8

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

785 FG Parting Lubricant

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Synthetic base. Eases assembly and disassembly of metal parts by protecting against galling, self-welding, corrosion, and galvanic attack. Do not use on oxygen systems.

**1.3. Details of the supplier of the safety data sheet**

**Company:**

A.W. CHESTERTON COMPANY  
860 Salem Street  
Groveland, MA 01834-1507, USA  
Tel. +1 978-469-6446 Fax: +1 978-469-6785  
(Mon. - Fri. 8:30 - 5:00 PM EST)  
SDS requests: [www.chesterton.com](http://www.chesterton.com)  
E-mail (SDS questions): [ProductSDSs@chesterton.com](mailto:ProductSDSs@chesterton.com)  
E-mail: [customer.service@chesterton.com](mailto:customer.service@chesterton.com)

**Supplier:**

Canada: A.W. Chesterton Company Ltd., 889 Fraser Drive,  
Unit 105, Burlington, Ontario L7L 4X8 – Tel. 905-335-5055  
EU: Chesterton International GmbH, Am Lenzenfleck 23,  
D85737 Ismaning, Germany – Tel. +49-89-996-5460

**1.4. Emergency telephone number**

24 hours per day, 7 days per week  
Call Infotrac: 1-800-535-5053  
Outside N. America: +1 352-323-3500 (collect)  
NSW Poisons Information Centre (Australia): 13 11 26

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

**2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS**

Eye irritation, Category 2, H319

**2.1.2. Australian statement of hazardous nature**

Hazardous according to criteria of Safe Work Australia.

**2.1.3. Additional information**

For full text of H-statements: see SECTIONS 2.2 and 16.

**2.2. Label elements**

**Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS**

**Hazard pictograms:**



**Signal word:**

Warning

**Hazard statements:**

H319

Causes serious eye irritation.

<b>Precautionary statements:</b>	P264	Wash skin thoroughly after handling.
	P280	Wear eye/face protection.
	P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337/313	If eye irritation persists: Get medical advice/attention.
<b>Supplemental information:</b>	EUH208	Contains Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts, Sulfonic acids, petroleum, calcium salts and Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts. May produce an allergic reaction.

**2.3. Other hazards**

None

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures**

Hazardous Ingredients <sup>1</sup>	% Wt.	CAS No./ EC No.	REACH Reg. No.	CLP/GHS Classification
Tetrasodium pyrophosphate	1-<3	7722-88-5 231-767-1	NA	Eye Dam. 1, H318 Acute Tox. 4, H302
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	0.4-2.5	68584-23-6 271-529-4	NA	Skin Sens. 1B, H317
Calcium dodecylbenzenesulphonate	0.4-1.5	26264-06-2 247-557-8	NA	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 (> 5%) Aquatic Chronic 4, H413
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	0.4-1.5	68411-46-1 270-128-1	NA	Aquatic Chronic 3, H412
Sulfonic acids, petroleum, calcium salts	0.4-2.5	61789-86-4 263-093-4	NA	Skin Sens. 1B, H317
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	0.4-2.5	70024-69-0 274-263-7	NA	Skin Sens. 1B, H317

Other ingredients:

Baseoil – unspecified*	4-10	64741-88-4 265-090-8	NA	Not classified**
Titanium dioxide***	3-7	13463-67-7 236-675-5	NA	Not classified**
Talc****	3-7	14807-96-6 238-877-9	NA	Not classified**

For full text of H-statements: see SECTION 16.

\*Contains less than 3 % DMSO extract as measured by IP 346.

\*\*Substance with a workplace exposure limit.

\*\*\*The talc and titanium dioxide in this product are not in powder form and should not present a hazard in normal use.

<sup>1</sup> Classified according to:

- 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F)
- 1272/2008/EC, GHS, REACH
- WHMIS 2015
- Safe Work Australia

**SECTION 4: FIRST AID MEASURES****4.1. Description of first aid measures**

<b>Inhalation:</b>	Remove to fresh air. If not breathing, administer artificial respiration. Contact physician.
<b>Skin contact:</b>	Wash skin with soap and water. Contact physician if irritation persists.
<b>Eye contact:</b>	Flush eyes for at least 15 minutes with large amounts of water. Contact physician.
<b>Ingestion:</b>	If person is conscious, rinse mouth with water and give small quantities of water to drink. Do not induce vomiting. Contact physician.
<b>Protection of first-aiders:</b>	Avoid contact with the product while providing aid to the victim. See section 8.2.2 for recommendations on personal protective equipment.

**4.2. Most important symptoms and effects, both acute and delayed**

Irritating to eyes. Prolonged or repeated skin contact may defat the skin and cause skin irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.

**SECTION 5: FIREFIGHTING MEASURES****5.1. Extinguishing media**

**Suitable extinguishing media:** Carbon dioxide, dry chemical, foam or water fog

**Unsuitable extinguishing media:** High volume water jet

**5.2. Special hazards arising from the substance or mixture**

Dense smoke. Thermal decomposition may produce Carbon Monoxide, Carbon Dioxide, oxides of Sulfur and other toxic fumes. Do not allow runoff from firefighting to enter drains or water courses.

**5.3. Advice for firefighters**

Cool exposed containers with water. Recommend Firefighters wear self-contained breathing apparatus.

**HAZCHEM Emergency Action Code:** 2 Z

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Utilize exposure controls and personal protection as specified in Section 8.

**6.2. Environmental Precautions**

Keep out of sewers, streams and waterways.

**6.3. Methods and material for containment and cleaning up**

Contain spill to a small area. Pick up with absorbent material (sand, sawdust, clay, etc.) and place in a suitable container for disposal.

**6.4. Reference to other sections**

Refer to section 13 for disposal advice.

**SECTION 7: HANDLING AND STORAGE****7.1. Precautions for safe handling**

Utilize exposure controls and personal protection as specified in Section 8. Wash thoroughly after handling. Take off contaminated clothing and wash it before reuse. Do not eat, drink or smoke in work area. Keep container closed when not in use.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in a cool, dry area.

**7.3. Specific end use(s)**

No special precautions.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1. Control parameters****Occupational exposure limit values**

Ingredients	OSHA PEL <sup>1</sup>		ACGIH TLV <sup>2</sup>		UK WEL <sup>3</sup>		AUSTRALIA ES <sup>4</sup>	
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Tetrasodium pyrophosphate*	N/A	N/A	N/A	N/A	N/A	5	N/A	5
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Calcium dodecylbenzenesulphonate	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Sulfonic acids, petroleum, calcium salts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Oil mist, mineral	N/A	5	N/A	5	N/A	N/A	N/A	5
Titanium dioxide	N/A	15	N/A	10	(total)	10	N/A	10
					(resp)	4		
Talc	20 mppcf	N/A	(resp.)	2	(resp)	1	(resp.)	2.5

\* U.S. National Institute for Occupational Safety and Health (NIOSH) REL (TWA): 5 mg/m<sup>3</sup>

<sup>1</sup> United States Occupational Health & Safety Administration permissible exposure limits

<sup>2</sup> American Conference of Governmental Industrial Hygienists threshold limit values

<sup>3</sup> EH40 Workplace exposure limits, Health & Safety Executive

<sup>4</sup> Safe Work Australia, Workplace Exposure Standards for Airborne Contaminants

**Biological limit values**

Not available

**Derived No Effect Level (DNEL) according to Regulation (EC) No 1907/2006:****Workers**

Substance	Route of exposure	Potential health effects	DNEL
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Inhalation	Chronic effects, systemic	4.37 mg/m <sup>3</sup>
	Dermal	Chronic effects, systemic	0.62 mg/kg

**Predicted No Effect Concentration (PNEC) according to Regulation (EC) No 1907/2006:**

Substance	Environmental protection target	PNEC
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Fresh water	0.051 mg/l
	Freshwater sediments	9320 mg/kg
	Marine water	0.0051 mg/l
	Marine sediments	932 mg/kg
	Microorganisms in sewage treatment	1 mg/l
	Soil (agricultural)	1860 mg/kg

**8.2. Exposure controls****8.2.1. Engineering measures**

No special requirements. If exposure limits are exceeded, provide adequate ventilation.

**8.2.2. Individual protection measures**

**Respiratory protection:** Not normally needed. If exposure limits are exceeded, use an approved organic vapor respirator for mists.

**Protective gloves:** Chemical resistant gloves (e.g. neoprene, nitrile).

**Eye and face protection:** Safety goggles or glasses.

**Other:** Long sleeves, long pants and good personal hygiene to minimize skin contact.

**8.2.3. Environmental exposure controls**

Refer to sections 6 and 12.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties**

<b>Physical state</b>	semi-solid	<b>Odour</b>	slight petroleum odor
<b>Colour</b>	off-white	<b>Odour threshold</b>	not determined
<b>Initial boiling point</b>	not applicable	<b>Vapour pressure @ 20°C</b>	not determined
<b>Melting point</b>	not applicable	<b>% Aromatics by weight</b>	not determined
<b>% Volatile (by volume)</b>	negligible	<b>pH</b>	not applicable
<b>Flash point</b>	not determined	<b>Relative density</b>	1.32 kg/l
<b>Method</b>	not applicable	<b>Weight per volume</b>	11.02 lbs/gal.
<b>Viscosity</b>	not determined	<b>Coefficient (water/oil)</b>	< 1
<b>Autoignition temperature</b>	not determined	<b>Vapour density (air=1)</b>	> 1
<b>Decomposition temperature</b>	not determined	<b>Rate of evaporation (ether=1)</b>	< 1
<b>Upper/lower flammability or explosive limits</b>	not determined	<b>Solubility in water</b>	insoluble
<b>Flammability (solid, gas)</b>	not determined	<b>Oxidising properties</b>	not determined
<b>Explosive properties</b>	not determined		

**9.2. Other information**

None

**SECTION 10: STABILITY AND REACTIVITY****10.1. Reactivity**

Refer to sections 10.3 and 10.5.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No dangerous reactions known under conditions of normal use.

**10.4. Conditions to avoid**

Open flames, heat, sparks and red hot surfaces.

**10.5. Incompatible materials**

Strong acids, bases, oxidizers and reducing agents.

**10.6. Hazardous decomposition products**

Carbon Monoxide, Carbon Dioxide, oxides of Nitrogen and Sulfur and other toxic fumes.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects****Primary route of exposure under normal use:** Skin and eye contact.**Acute toxicity -****Oral:** ATE-mix > 5000 mg/kg

Substance	Test	Result
Tetrasodium pyrophosphate	LD50, rat	1624 mg/kg
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	LD50, rat (OECD 401)	> 5000 mg/kg
Calcium dodecylbenzenesulphonate	LD50, rat	1300 mg/kg
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	LD50, rat (OECD 401)	> 2000 mg/kg
Sulfonic acids, petroleum, calcium salts	LD50, rat (OECD 401)	> 5000 mg/kg

**Dermal:** ATE-mix > 5000 mg/kg

Substance	Test	Result
Tetrasodium pyrophosphate	LD50, rabbit	7940 mg/kg
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	LD50, rabbit (OECD 402)	> 2000 mg/kg
Calcium dodecylbenzenesulphonate	LD50, rabbit	> 4199 mg/kg (read-across)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	LD50, rat	> 2000 mg/kg
Sulfonic acids, petroleum, calcium salts	LD50, rabbit (OECD 402)	> 4000 mg/kg

**Inhalation:** Not classified due to lack of data.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	LD50, rat, aerosol	> 1.9 mg/l (read-across)

**Skin corrosion/irritation:** Prolonged or repeated skin contact may defat the skin and cause skin irritation.

Substance	Test	Result
Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts	Skin irritation, rabbit	Not irritating (read-across)
Calcium dodecylbenzenesulphonate	Skin irritation, rabbit	Irritating
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Skin irritation, rabbit (OECD 404)	Not irritating

**Serious eye damage/irritation:** Causes serious eye irritation.

Substance	Test	Result
Tetrasodium pyrophosphate	Eye irritation, rabbit	Serious eye damage/severe irritation
Calcium dodecylbenzenesulphonate	Eye irritation, rabbit	Serious eye damage/severe irritation (read-across)
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Eye irritation, rabbit (OECD 405)	Not irritating

**Respiratory or skin sensitisation:** Does not cause skin sensitisation, based on data from similar materials.

Substance	Test	Result
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	Skin sensitization, guinea pig	Not sensitizing

**Germ cell mutagenicity:** Not classified due to lack of data. Tetrasodium pyrophosphate, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: based on available data, the classification criteria are not met. Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene – Ames test: negative.

**Carcinogenicity:** The International Agency for Research on Cancer (IARC) has designated inhaled titanium dioxide as possibly carcinogenic to humans (group 2B). The titanium dioxide in this product does not separate from the mixture or in of itself become air-borne, therefore it does not present a hazard in normal use.

**Reproductive toxicity:** Not classified due to lack of data.

**STOT – single exposure:** Not classified due to lack of data. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: based on available data, the classification criteria are not met.

**STOT – repeated exposure:** Not classified due to lack of data. Tetrasodium pyrophosphate, Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: based on available data, repeated exposures are not anticipated to cause significant adverse effects. Repeated or prolonged inhalation of Talc dust may cause chronic cough, shortness of breath, scarring of the lungs (pulmonary fibrosis) and mild symptomatic pneumoconiosis. The Talc in this product is not in powder form and should not present a hazard in normal use.

**Aspiration hazard:** Not classified as an aspiration toxicant.

**Other information:** None known

## SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

### 12.1. Toxicity

Calcium dodecylbenzenesulphonate: 96 h LC50 (fish) = 22 mg/l (OECD 203, read-across). Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: 96 h LC50 (fish) > 71 mg/l (OECD 203); 48 h EC50 (for daphnia) = 51 mg/l (OECD 202). Sulfonic acids, petroleum, calcium salts: 96 h LC50 (fish) > 10000 mg/l. Oil: practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/ErC50 > 100 mg/l.)

### 12.2. Persistence and degradability

Oil: not readily biodegradable. Benzenesulfonic acid, C10-16-alkyl derivs., calcium salts: not readily biodegradable (read-across). Calcium dodecylbenzenesulphonate: readily biodegradable. Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: not readily biodegradable (CO2 Evolution Test). Sulfonic acids, petroleum, calcium salts: not readily biodegradable (8.6%). Tetrasodium pyrophosphate: inorganic substance.

### 12.3. Bioaccumulative potential

Calcium dodecylbenzenesulphonate: BCF = 104 (fish, 21 days); log Kow 3.9 – 6; has the potential to bioaccumulate, however metabolism or physical properties may reduce the bioconcentration or limit bioavailability. Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene: log Kow > 7. Tetrasodium pyrophosphate: does not bioaccumulate.

### 12.4. Mobility in soil

Semi-solid. Insoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

### 12.5. Results of PBT and vPvB assessment

Not available.

### 12.6. Other adverse effects

None known

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

Incinerate absorbed material with a properly licensed facility. Check local, state and national/federal regulations and comply with the most stringent requirement. This product is classified as a hazardous waste according to 2008/98/EC.

## SECTION 14: TRANSPORT INFORMATION

### 14.1. UN number

<b>ADG/ADR/RID/ADN/IMDG/I</b>	NOT APPLICABLE
<b>CAO:</b>	
<b>TDG:</b>	NOT APPLICABLE
<b>US DOT:</b>	NOT APPLICABLE

### 14.2. UN proper shipping name

<b>ADG/ADR/RID/ADN/IMDG/I</b>	NON-HAZARDOUS, NON REGULATED
<b>CAO:</b>	
<b>TDG:</b>	NON-HAZARDOUS, NON REGULATED
<b>US DOT:</b>	NON-HAZARDOUS, NON REGULATED

### 14.3. Transport hazard class(es)

<b>ADG/ADR/RID/ADN/IMDG/I</b>	NOT APPLICABLE
<b>CAO:</b>	
<b>TDG:</b>	NOT APPLICABLE
<b>US DOT:</b>	NOT APPLICABLE

### 14.4. Packing group

<b>ADG/ADR/RID/ADN/IMDG/I</b>	NOT APPLICABLE
<b>CAO:</b>	
<b>TDG:</b>	NOT APPLICABLE
<b>US DOT:</b>	NOT APPLICABLE

### 14.5. Environmental hazards

NOT APPLICABLE

**14.6. Special precautions for user**

NOT APPLICABLE

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

NOT APPLICABLE

**14.8. Other information**

NOT APPLICABLE

**SECTION 15: REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****15.1.1. EU regulations****Authorisations under Title VII:** Not applicable**Restrictions under Title VIII:** None**Other EU regulations:** None**15.1.2. National regulations****US EPA SARA TITLE III****312 Hazards:**

Eye irritation

**313 Chemicals:**

None

**Other national regulations:** None**15.2. Chemical safety assessment**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

**SECTION 16: OTHER INFORMATION**

**Abbreviations and acronyms:** ADG: Australian Dangerous Goods Code  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ATE: Acute Toxicity Estimate  
 BCF: Bioconcentration Factor  
 cATpE: Converted Acute Toxicity point Estimate  
 CLP: Classification Labelling Packaging Regulation (1272/2008/EC)  
 ES: Exposure Standard  
 GHS: Globally Harmonized System  
 ICAO: International Civil Aviation Organization  
 IMDG: International Maritime Dangerous Goods  
 LC50: Lethal Concentration to 50 % of a test population  
 LD50: Lethal Dose to 50% of a test population  
 LOEL: Lowest Observed Effect Level  
 N/A: Not Applicable  
 NA: Not Available  
 NOEC: No Observed Effect Concentration  
 NOEL: No Observed Effect Level  
 OECD: Organization for Economic Co-operation and Development  
 PBT: Persistent, Bioaccumulative and Toxic substance  
 (Q)SAR: Quantitative Structure-Activity Relationship  
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)  
 REL: Recommended Exposure Limit  
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail  
 SDS: Safety Data Sheet  
 STEL: Short Term Exposure Limit  
 STOT RE: Specific Target Organ Toxicity, Repeated Exposure  
 STOT SE: Specific Target Organ Toxicity, Single Exposure  
 TDG: Transportation of Dangerous Goods (Canada)  
 TWA: Time Weighted Average  
 US DOT: United States Department of Transportation  
 vPvB: very Persistent and very Bioaccumulative substance  
 WEL: Workplace Exposure Limit  
 WHMIS: Workplace Hazardous Materials Information System  
 Other abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).



**Key literature references and sources for data:** Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)  
 Chemical Classification and Information Database (CCID)  
 European Chemicals Agency (ECHA) - Information on Chemicals  
 Hazardous Chemical Information System (HCIS)  
 National Institute of Technology and Evaluation (NITE)  
 Swedish Chemicals Agency (KEMI)  
 U.S. National Library of Medicine Toxicology Data Network (TOXNET)

**Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:**

Classification	Classification procedure
Eye Irrit. 2, H319	Calculation method

**Relevant H-statements:** H302: Harmful if swallowed.  
 H315: Causes skin irritation.  
 H317: May cause an allergic skin reaction.  
 H318: Causes serious eye damage.  
 H412: Harmful to aquatic life with long lasting effects.  
 H413: May cause long lasting harmful effects to aquatic life.

**Hazard pictogram names:** Exclamation mark

**Further information:** None

**Date of last revision:** 17 June 2020

**Changes to the SDS in this revision:** Sections 1.3, 2.1, 2.2, 3, 4.1, 8.1, 10.6, 11, 12.2, 12.3, 15.1.2, 16.

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.