

SAFETY DATA SHEET

in accordance with 1907/2006/EC (REACH, as amended by 2015/830/EU) 29 CFR 1910.1200 and WHMIS 2015

Revision date: 26 April 2018 **Initial date of issue:** 6 July 2007 **SDS No.** 152B-20a

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

860 Moldable Polymer Gasketing (Cartridge)

1.2. Relevant identified uses of the substance or mixture and uses advised against

Solid gap filler. Makes any size, any shape gasket. Never sticks.

1.3. Details of the supplier of the safety data sheet

Company:

A.W. CHESTERTON COMPANY
860 Salem Street
Groveland, MA 01834-1507, USA
Tel. +1 978-469-6446 Fax: +1 978-469-6785
(Mon. - Fri. 8:30 - 5:00 PM EST)
SDS requests: www.chesterton.com
E-mail (SDS questions): ProductMSDSs@chesterton.com
E-mail: customer.service@chesterton.com

Supplier:

Canada: A.W. Chesterton Company Ltd., 889 Fraser Drive,
Unit 105, Burlington, Ontario L7L 4X8 - Tel. 905-335-5055
EU: Chesterton International GmbH, Am Lenzenfleck 23,
D85737 Ismaning, Germany – Tel. +49-89-996-5460

1.4. Emergency telephone number

24 hours per day, 7 days per week
Call Infotrac: 1-800-535-5053
Outside N. America: +1 352-323-3500 (collect)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

2.1.1. Classification according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Aquatic Chronic 2, H411

2.1.2. Classification according to WHMIS 1988

None

2.1.3. Australian statement of hazardous nature

Hazardous according to criteria of Safe Work Australia.

2.1.4. Additional information

For full text of H-statements: see SECTIONS 2.2 and 16.

2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP] / 29 CFR 1910.1200 / WHMIS 2015 / GHS

Hazard pictograms:



Signal word:

none

Hazard statements:

H411

Toxic to aquatic life with long lasting effects.

Precautionary statements:

P273

Avoid release to the environment.

P391

Collect spillage.

P501

Dispose of contents/container to an approved waste disposal plant.

Supplemental information:

None

2.3. Other hazards

None known

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**3.2. Mixtures**

Hazardous Ingredients ¹	% Wt.	CAS No./ EC No.	REACH Reg. No.	CLP/GHS Classification
Zinc oxide	7-13	1314-13-2 215-222-5	01-211946 3881-32	Aquatic Acute 1, H400 Aquatic Chronic 1, H410 M-factor acute/chronic: 1
Silicic acid (H4SiO4), tetraethyl ester	1-5	68412-37-3* 270-184-7	NA	Flam. Liq. 3, H226 Eye Irrit. 2, H319
Other ingredients:				
Calcium carbonate	20-30	1317-65-3 215-279-6	NA	Not classified**
Silica (Quartz)	0.1-0.9	14808-60-7 238-878-4	NA	Not classified**

*Alternative CAS No. 11099-06-2, 1988 Ec No. 234-324-0.

**Substance with a workplace exposure limit.

For full text of H-statements: see SECTION 16.

¹ Classified according to: * 29 CFR 1910.1200, 1915, 1916, 1917, Mass. Right-to-Know Law (ch. 40, M.G.L..O. 111F), California Proposition 65
* 1272/2008/EC, REACH
* WHMIS 2015
* Safe Work Australia [NOHSC: 1008 (2004)]

SECTION 4: FIRST AID MEASURES**4.1. Description of first aid measures****Inhalation:** Remove to fresh air. If not breathing, administer artificial respiration. Contact physician.**Skin contact:** Remove uncured product from skin and wash with soap and water. Contact physician if irritation persists.**Eye contact:** Flush eyes for at least 15 minutes with large amounts of water. Contact physician if irritation persists.**Ingestion:** If person is conscious, rinse mouth with water and give small quantities of water to drink. Do not induce vomiting without medical advice. Consult physician.**4.2. Most important symptoms and effects, both acute and delayed**

May cause mild irritation to skin, eyes and respiratory tract.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: FIREFIGHTING MEASURES**5.1. Extinguishing media****Suitable extinguishing media:** Carbon Dioxide, foam or dry chemical**Unsuitable extinguishing media:** None known**5.2. Special hazards arising from the substance or mixture**

None

5.3. Advice for firefighters

Recommend Firefighters wear self-contained breathing apparatus.

Flammability Classification: -**HAZCHEM Emergency Action Code:** 3 **Z****SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1. Personal precautions, protective equipment and emergency procedures**

Utilize exposure controls and personal protection as specified in Section 8.

6.2. Environmental Precautions

Keep out of sewers, streams and waterways.

6.3. Methods and material for containment and cleaning up

Scoop up and transfer to a suitable container for disposal.

6.4. Reference to other sections

Refer to section 13 for disposal advice.

SECTION 7: HANDLING AND STORAGE**7.1. Precautions for safe handling**

None

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area.

7.3. Specific end use(s)

No special precautions.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parameters****Occupational exposure limit values**

Ingredients	OSHA PEL ¹		ACGIH TLV ²		UK WEL ³		AUSTRALIA ES ⁴	
	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m ³
Zinc oxide	–	15 (total) 5 (resp)	–	2 (resp) STEL: 10 (resp)	–	–	–	10 (dust)
Silicic acid (H ₄ SiO ₄), tetraethyl ester	–	–	–	–	–	–	–	–
Calcium carbonate	–	15 (total) 5 (resp)	–	10 (inhal) 3 (resp)	–	10 (inhal) 4 (resp)	–	10
Silica (Quartz)	(resp) (total)	0.1 0.3	(resp)	0.025	(resp)	0.1	(resp)	0.1

¹ United States Occupational Health & Safety Administration permissible exposure limits.

² American Conference of Governmental Industrial Hygienists threshold limit values.

³ EH40 Workplace exposure limits, Health & Safety Executive

⁴ Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003].

8.2. Exposure controls**8.2.1. Engineering measures**

No special requirements.

8.2.2. Individual protection measures

Respiratory protection: Not normally needed.

Protective gloves: Rubber or vinyl-coated gloves

Eye and face protection: Recommend safety glasses.

Other: None

8.2.3. Environmental exposure controls

Refer to sections 6 and 12.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties**

Physical state	paste	Odour	sweet odor
Colour	white	Odour threshold	not determined
Initial boiling point	not applicable	Vapour pressure @ 20°C	not determined
Melting point	not applicable	% Aromatics by weight	0%
% Volatile (by volume)	0%	pH	not applicable
Flash point	> 93°C (>200°F)	Relative density	1.29 kg/l
Method	Cleveland Open Cup	Weight per volume	10.7 lbs/gal
Viscosity	2 million cps @ 25°C	Coefficient (water/oil)	< 1
Autoignition temperature	not determined	Vapour density (air=1)	> 1
Decomposition temperature	not determined	Rate of evaporation (ether=1)	< 1
Upper/lower flammability or explosive limits	not determined	Solubility in water	insoluble
Flammability (solid, gas)	not applicable	Oxidising properties	not determined
Explosive properties	not determined		

9.2. Other information

EPA 24: 0

SECTION 10: STABILITY AND REACTIVITY**10.1. Reactivity**

Refer to sections 10.3 and 10.5.

10.2. Chemical stability

Stable

10.3. Possibility of hazardous reactions

No dangerous reactions known under conditions of normal use.

10.4. Conditions to avoid

Moisture and excessive heat. Generates Formaldehyde at 150°C (300°F).

10.5. Incompatible materials

Acids and strong oxidizers like liquid Chlorine and concentrated Oxygen; ammonium salts.

10.6. Hazardous decomposition products

Oxides of Silicone, Carbon Monoxide, Carbon Dioxide and other toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION**11.1. Information on toxicological effects**

Primary route of exposure under normal use: Inhalation, skin and eye contact.

Acute toxicity -**Oral:**

Substance	Test	Result
Calcium carbonate	LC50, rat	6450 mg/kg
Zinc oxide	LD50, rat	> 5000 mg/kg
Silicic acid (H4SiO4), tetraethyl ester	LD50, rat	> 2000 mg/kg

Dermal:

Substance	Test	Result
Silicic acid (H4SiO4), tetraethyl ester	LD50, rabbit	> 4450 mg/kg

Inhalation:

Substance	Test	Result
Zinc oxide	LC50, rat	> 5.7 mg/l

Skin corrosion/irritation:

Substance	Test	Result
Calcium carbonate	Skin irritation, rabbit	Not irritating
Zinc oxide	Skin irritation, rabbit (OECD 404)	Not irritating

Serious eye damage/irritation:

Substance	Test	Result
Silicic acid (H ₄ SiO ₄), tetraethyl ester	Eye irritation, human	3000 ppm: Severe irritation
Zinc oxide	Eye irritation, rabbit (OECD 405)	Not irritating

Respiratory or skin sensitisation:

Substance	Test	Result
Zinc oxide	Skin sensitization, rabbit	Not irritating

Germ cell mutagenicity:

Zinc oxide: Based on available data, the classification criteria are not met.

Carcinogenicity:

The International Agency for Research on Cancer (IARC) and the National Toxicology Program (NTP) have classified inhaled silica as a human carcinogen. The silica in this product does not separate from the mixture or in of itself become air-borne, therefore it does not present a hazard in normal use.

Reproductive toxicity:

Zinc oxide: Based on available data, the classification criteria are not met.

STOT-single exposure:

Zinc oxide: Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Repeated inhalation of respirable free silica may cause scarring of the lungs with cough and shortness of breath. Silicosis, a delayed lung injury that is a disabling, progressive and sometimes fatal pulmonary fibrosis, may result. The silica in this product does not separate from the mixture or in of itself become air-borne, therefore it does not present a hazard in normal use.

Aspiration hazard:

Based on available data, the classification criteria are not met.

Other information:

None known

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicological data have not been determined specifically for this product. The information given below is based on a knowledge of the components and the ecotoxicology of similar substances.

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Zinc oxide: chronic NOEC, algae, 72 hours = 0.017 mg/l; 72 h EC₅₀ (for algae) = 0.042 mg/l.

12.2. Persistence and degradability

Silicic acid (H₄SiO₄), tetraethyl ester: not readily biodegradable. Zinc oxide, Calcium carbonate, Silica: inorganic substances. Silicic acid (H₄SiO₄), tetraethyl ester: hydrolyzes in water or moist air, releasing ethanol.

12.3. Bioaccumulative potential

Calcium carbonate, Zinc oxide: not expected to bioaccumulate.

12.4. Mobility in soil

Paste. Insoluble in water. In determining environmental mobility, consider the product's physical and chemical properties (see Section 9).

12.5. Results of PBT and vPvB assessment

Not available

12.6. Other adverse effects

None known

SECTION 13: DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods**

May be landfilled if stabilized with non-biodegradable material. Check local, state and national/federal regulations and comply with the most stringent requirement. This product is classified as a hazardous waste according to 2008/98/EC.

SECTION 14: TRANSPORT INFORMATION**14.1. UN number**

ADR/RID/ADN/IMDG/ICAO: UN3077

TDG: UN3077

US DOT: UN3077

14.2. UN proper shipping name

ADR/RID/ADN/IMDG/ICAO: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE)

TDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE)

US DOT: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (ZINC OXIDE)

14.3. Transport hazard class(es)
 ADR/RID/ADN/IMDG/ICAO: 9
 TDG: 9
 US DOT: 9

14.4. Packing group
 ADR/RID/ADN/IMDG/ICAO: III
 TDG: III
 US DOT: III

14.5. Environmental hazards
 MARINE POLLUTANT

14.6. Special precautions for user
 NO SPECIAL PRECAUTIONS FOR USER

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code
 NOT APPLICABLE

14.8. Other information
US DOT: ERG NO.171,
 May be shipped as NON-RESTRICTED in non-bulk packagings (882 lbs. or less) by motor vehicle, rail car or aircraft.
 (49 CFR 171.4(c))
IMDG: EmS. F-A, S-F
 May be shipped as NON-RESTRICTED in single or combination packagings containing a net mass per single or inner packaging of 5 kg or less.(IMDG CODE Amendment 37-14, 2.10.2.7)
ICAO/IATA: May be shipped as NON-RESTRICTED in single or combination packagings containing a net mass per single or inner packaging of 5 kg or less. (IATA Dangerous Goods Regulation 56th edition, 4.4 Special Provisions A197)
ADR: Classification code M6 Tunnel restriction code (E)
 May be shipped as NON-RESTRICTED in single or combination packagings containing a net mass per single or inner packaging of 5 kg or less. (ADR 2015 Volume 1, Chapter 3.3 Special Provisions 375)

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU regulations
Authorisations under Title VII: Not applicable
Restrictions under Title VIII: None
Other EU regulations: None

15.1.2. National regulations

US EPA SARA TITLE III

312 Hazards: Immediate	313 Chemicals: Zinc oxide 7-13%
----------------------------------	---

Other national regulations: None

15.2. Chemical safety assessment
 No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: OTHER INFORMATION

Abbreviations and acronyms: ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
 ATE: Acute Toxicity Estimate
 BCF: Bioconcentration Factor
 CLP: Classification Labelling Packaging Regulation (1272/2008/EC)
 ES: Exposure Standard
 GHS: Globally Harmonized System
 ICAO: International Civil Aviation Organization
 IMDG: International Maritime Dangerous Goods
 LC50: Lethal Concentration to 50 % of a test population
 LD50: Lethal Dose to 50% of a test population
 LOEL: Lowest Observed Effect Level
 N/A: Not Applicable
 NA: Not Available
 NOEC: No Observed Effect Concentration
 NOEL: No Observed Effect Level
 OECD: Organization for Economic Co-operation and Development
 PBT: Persistent, Bioaccumulative and Toxic substance
 (Q)SAR: Quantitative Structure-Activity Relationship
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (1907/2006/EC)
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail
 SDS: Safety Data Sheet
 STEL: Short Term Exposure Limit
 STOT RE: Specific Target Organ Toxicity, Repeated Exposure
 STOT SE: Specific Target Organ Toxicity, Single Exposure
 TDG: Transportation of Dangerous Goods (Canada)
 US DOT: United States Department of Transportation
 vPvB: very Persistent and very Bioaccumulative substance
 WEL: Workplace Exposure Limit
 WHMIS: Workplace Hazardous Materials Information System
 Other abbreviations and acronyms can be looked up at www.wikipedia.org.

Key literature references and sources for data: Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)
 Commission des normes, de l'équité, de la santé et de la sécurité du travail (CNESST)
 European Classification and Information Database (CCID)
 European Chemicals Agency (ECHA) - Information on Chemicals
 Hazardous Substances Information System (HSIS)
 National Institute of Technology and Evaluation (NITE)
 Swedish Chemicals Agency (KEMI)
 U.S. National Library of Medicine Toxicology Data Network (TOXNET)

Procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 [CLP] / GHS:

Classification	Classification procedure
Aquatic Chronic 2, H411	Calculation method

Relevant H-statements: H226: Flammable liquid and vapour.
 H319: Causes serious eye irritation.
 H400: Very toxic to aquatic life.
 H410: Very toxic to aquatic life with long lasting effects.
 H411: Toxic to aquatic life with long lasting effects.

Hazard pictogram names: Environment

Changes to the SDS in this revision: Section 1.3.

Revision date: 26 April 2018

Further information: None

This information is based solely on data provided by suppliers of the materials used, not on the mixture itself. No warranty is expressed or implied regarding the suitability of the product for the user's particular purpose. The user must make their own determination as to suitability.