



**CHESTERTON**  
Global Solutions, Local Service.

**HAZARD IDENTIFICATION LABEL**

Please Type or Print Clearly

**1 MUST BE FILLED OUT FOR ALL NON-HAZARDOUS AND HAZARDOUS PRODUCTS**

Company Name: \_\_\_\_\_

Address: \_\_\_\_\_

Telephone Number: (     ) \_\_\_\_\_ Ext. \_\_\_\_\_

**2 COMPLETE FOR HAZARDOUS PRODUCTS**

**HAZARDOUS**

According to OSHA Hazard Communications 29 CFR 1910.1200 • Check all that apply

Bacteria

Irritant

Reactive/  
Oxidizer

SDS  
Enclosed

Carcinogen

Sensitizer

Use  
Ventilation

Sent  
Separately

Corrosive

Toxic/Poison

Sent  
Previously

Flammable

Other  
(Specify) \_\_\_\_\_

Safety Sheet

Chemical Identity Name: \_\_\_\_\_

(Same as on Safety Data Sheet)

**3 COMPLETE FOR NON-HAZARDOUS PRODUCTS**

**NON-HAZARDOUS**

Use of Product: \_\_\_\_\_

Signature: \_\_\_\_\_

I certify that this product is not contaminated with any hazardous chemical substance according to the OSHA Hazard Communication Standard 29 CFR 1910.1200

Name: \_\_\_\_\_

Title: \_\_\_\_\_

© A.W. Chesterton Company, 2014. All rights reserved.  
© Reg. U.S. Pat. and TM. Off. 079205 4/14

FROM \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

CUSTOMER P.O. \_\_\_\_\_

DISTRIBUTOR P.O. \_\_\_\_\_



**CHESTERTON**  
Global Solutions, Local Service.

ATTENTION: SEAL REPAIR DEPT.  
A.W. CHESTERTON COMPANY  
11999 INDUSTRIPLEX BOULEVARD  
BATON ROUGE, LA 70809

**A**

**EXCHANGE**

**B**

**REPAIR**

EXCHANGE \_\_\_\_\_

WARRANTY \_\_\_\_\_

OTHER \_\_\_\_\_

REPAIR \_\_\_\_\_

OTHER \_\_\_\_\_

DRAWING NO. \_\_\_\_\_

**PURCHASE ORDER NUMBER ENCLOSED WITH SEALS**

**SEAL FAILURE ANALYSIS REQUIRED**